

**DOCUMENTATION OF ETHNOMEDICINAL PLANTS OF EASTERN GHATS**

<b>S.No.</b>	<b>Botanical name</b>	<b>Family name</b>	<b>Medicinal uses</b>	<b>Journal</b>	<b>Year</b>
1	<i>Abrus precatorius</i> L.	Leguminosae	Roots used to treat poisonous bite	IJBLS (Natarajan et al) JNR (Senthil et al.) IJRAP (kuru et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyananthan et al) IJRES (Natarajan et al)	2011, 2013, 2014
2	<i>Abutilon indicum</i> L.	Malvaceae	Leaf juice is used for the treatment of toothache. Roots and leaves decoction is given for diuretic and stimulate purgative.	IJTK (Francies et al.) APSR (kadirvelmurugan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al)	2011, 2013, 2014
3	<i>Acacia caesia</i> (L.) Willd	Leguminosae	Paste of fresh bark is applied externally for skin diseases	IJTK (Francies et al.)	2011
4	<i>Acacia farnesiana</i> (Linn.) Willd	Leguminosae	Bark decoction is used to treat inflamed skin	NPR (Anand et al)	2005
5	<i>Acacia leucophloea</i> Willd.	Leguminosae	Juice of leaf mixed with milk used to treat bleeding piles. Leaf juice is given to treat fever and stomachache.	Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2011, 2013, 2014
6	<i>Acacia nilotica</i> L.	Leguminosae	Paste of stem bark is applied topically on skin diseases and scabies	IJTK (Francies et al.)	2011
7	<i>Acacia pennata</i> (L.) Willd.	Leguminosae	Stem bark decoction is taken orally to cure diarrhea	JBR (Senthil et al.) JNR (Senthil et al.) AJPSR (Vaidyananthan et al)	2012, 2013
8	<i>Acalypha indica</i> L.	Euphorbiaceae	The whole plant powder is used to treat toothache. Freshly prepared leaf paste is applied externally to treat scabies.	IJTK (Francies et al.) AJPSR (Vaidyananthan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) IJRAP (kuru et al)	2011, 2013
9	<i>Acalypha indica</i> L.	Euphorbiaceae	Powdered leaves and sakkarakolli (gymnema sylvestre) leaves with milk taken internally for diabetic	IJRAP (kuru et al) AJPSR (Vaidyananthan et al)	2011, 2013
10	<i>Acacia farnesiana</i> (L.) Willd.	Leguminosae	Bark decoction is used to treat demulcent and astringent.	AJPSR (Vaidyananthan et al.)	2013
11	<i>Achras zapota</i> (L.) P. Royen.	Sapotaceae	Raw fruit is taken orally to treat stomach ailments	JBR (Senthil et al.) JNR (Senthil et al.)	2012, 2013

12	<i>Achyranthes aspera</i> L.	Amaranthaceae	Leaf paste is used to treat cut wounds, eye pain and dog bite. Leaf decoction with water/milk is used to cure stomach problems, diuretic, piles and skin diseases.	IJTK (Francies <i>et al.</i> ) APSR (kadirvelmurugan <i>et al.</i> ) AJPSR (Vaidyananthan <i>et al.</i> ) IJRES (Natarajan <i>et al.</i> ) Article 029 (Palanisamy <i>et al.</i> ) IJBLS (Natarajan <i>et al.</i> ) JNR (Senthil <i>et al.</i> ) IJRAP (kuru <i>et al.</i> )	2011, 2013, 2014
13	<i>Achyranthes bidentata</i> Blume	Amaranthaceae	The whole plant extract is used to treat blood circulation	AJPSR (Vaidyananthan <i>et al.</i> )	2013
14	<i>Acorus calamus</i> L.	Araceae	Paste of rhizome is used to treat stomachache	JBR (Senthil <i>et al.</i> ) IJBLS (Natarajan <i>et al.</i> ) JNR (Senthil <i>et al.</i> ) IJRAP (kuru <i>et al.</i> ) NPR (Anand <i>et al.</i> ) APSR (kadirvelmurugan <i>et al.</i> ) AJPSR (Vaidyananthan <i>et al.</i> ) IJRES (Natarajan <i>et al.</i> )	2005, 2012, 2013, 2014
15	<i>Actiniopteris radiata</i> (Sw.) Link.	Pteridaceae	The juice extracted from the stem is taken orally twice a day to treat diarrhoea and fever.	JNPPR (Karthik <i>et al.</i> )	2011
16	<i>Adathoda vasica</i> Nees	Acanthaceae	Decoction obtained from the leaf and roots are given to treat asthma, dysentery and diarrhea.	Article 029 (Palanisamy <i>et al.</i> ) NPR (Anand <i>et al.</i> )	2005, 2011
17	<i>Adhatoda zeylanica</i> Medi.	Acanthaceae	Powdered leaf mixed with water is given orally for cough	IJTK (Francies <i>et al.</i> )	2011
18	<i>Adiantum capillaris-veneris</i> L.	Pteridaceae	The whole plant is made into a paste along with aloe gel and applied externally in the affected places to treat cuts and wounds. The paste is also used as hair tonic by applied on head.	JNPPR (Karthik <i>et al.</i> )	2011
19	<i>Adiantum lunulatum</i> Burm. f.	Pteridaceae	The whole plant is ground into a paste with turmeric and applied over the affected places to treat pimples and wounds; The whole plant is boiled with water and the decoction is applied externally on the affected places to get relief from body pain and chest ache.	JNPPR (Karthik <i>et al.</i> )	2011
20	<i>Aegle marmelos</i> L. Correa	Rutaceae	Juice extracted from the fruits is used to treat dysentery and dyspepsia. Stem juice and root	Article 029 (Palanisamy <i>et al.</i> ) IJBLS (Natarajan <i>et al.</i> ) IJRAP (kuru <i>et al.</i> ) NPR (Anand <i>et al.</i> )	2005, 2011, 2013,

			powder is used to cure fever. Leaf juice used for diarrhea	APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2014
21	<i>Aerva lanata</i> (L.) Juss.	Amaranthaceae	Leaf extract is used to cure kidneystones	JNR ( Senthil et al.) AJPSR (Vaidyanathan et al)	2013
22	<i>Agave Americana</i> L.	Agavaceae	The whole plant extract is used to cure cut sores and wounds	AJPSR (Vaidyanathan et al)	2013
23	<i>Agave sisalana</i> Perr.	Agavaceae	Fresh leaf juice is dropped into ear for ear disease	IJTK (Francies et al.)	2011
24	<i>Alangium salvifolium</i> (L.F.) Wangerin	Alangiaceae	Leaf powder with water is given for diarrhea, dog bite, fever. Fresh leaf paste applied externally for skin infections.	IJTK (Francies et al.) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRAP (kuru et al)	2011, 2013, 2014
25	<i>Albizia amara</i> Boiv.	Leguminosae	Leaf paste in combination with root bark of <i>jasminum angustifolium</i> and rhizome of <i>Cyperus rotundus</i> heated with neem oil to treat poisonous bites and skin infections	JNR ( Senthil et al.) AJPSR (Vaidyanathan et al)	2013
26	<i>Albizia lebbeck</i> (L.) Benth.	Leguminosae	Leaf extract is used to cure scorpion bite	AJPSR (Vaidyanathan et al)	2013
27	<i>Albizia thompsonii</i> Brandis	Leguminosae	Leaf paste is used to treat skin infections and ulcers	AJPSR (Vaidyanathan et al)	2013
28	<i>Allium cepa</i> L.	Amaryllidaceae	Juice obtained from bulb is used to treat headache.	IJTK (Francies et al.) APSR (kadirvelmurugan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRAP (kuru et al) IJRES (Natarajan et al)	2011, 2013, 2014
29	<i>Allium sativum</i> L.	Amaryllidaceae	Bulb paste taken twice a day to treat gastric stimulant.	IJTK (Francies et al.)Article 029 (Palanisamy et al.)	2011
30	<i>Aloe vera</i> L.	Xanthorrhoeaceae	Juice obtained from leaf is used to maintain body cooling. Sucker juice is taken orally for sexual debility and fever.	IJTK (Francies et al.) APSR (kadirvelmurugan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al)	2011, 2013, 2014

31	<i>Alpinia calcarata</i> Rosc.	Zingiberaceae		AJPSR (Vaidyanathan et al)	2013
32	<i>Alpinia galangal</i> Willd.	Zingiberaceae	Paste of rhizome is given twice a day for impaction	IJTK (Francies <i>et al.</i> ) NPR (Anand <i>et al</i> )	2005, 2011
33	<i>Alpinia officinarum</i> Hance	Zingiberaceae	Rhizome powder used to treat phlem	IJBLS (Natarajan et al) IJRES (Natarajan et al)	2013
34	<i>Alstonia venenata</i> R. Br.	Apocynaceae	Ripe fruits are used to treat syphilis, worms and seizures	NPR (Anand <i>et al</i> ) AJPSR (Vaidyanathan <i>et al</i> )	2005, 2013
35	<i>Alternanthera sessilis</i> (L) R.Br.exDc.	Amaranthaceae	Juice of stem and leaves is used to cure snake bite	IJBLS (Natarajan et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2013, 2014
36	<i>Amaranthus spinosus</i> L.	Amaranthaceae	Leaf decoction is taken orally for stomachache	IJBLS (Natarajan et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2013, 2014
37	<i>Amaranthus viridis</i> L.	Amaranthaceae	Leaf extract is used to treat scorpion bite	AJPSR (Vaidyanathan et al)	2013
38	<i>Amorphophallus paeoniifolius</i> Dennst.	Araceae	Rhizome boiled with tamarind taken internally to cure piles.	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
39	<i>Anacyclus pyrethrum</i> (L.) Lag.	Compositae	Leaf extract is used to treat dental problems and seizures	NPR (Anand <i>et al</i> ) AJPSR (Vaidyanathan <i>et al</i> )	2005, 2013
40	<i>Andrographis alata</i> (Vahl) Nees.	Acanthaceae	Paste of leaf and root used to treat snake bite	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
41	<i>Andrographis likineate</i> Wallich ex.	Acanthaceae	Paste of leaves is applied topically for snake bite	IJTK (Francies <i>et al.</i> )	2011
42	<i>Andrographis paniculata</i> (Burm. F.) wallich. Ex.Nees	Acanthaceae	Leaf powder blended with milk is taken internally for diabetes, snake bite and fever. Leaves decoction used to treat dyspepsia and stomach ache.	IJTK (Francies et al.) NPR (Anand et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR (Senthil et al.) IJRAP (kuru et al)	2005, 2011, 2013, 2014
43	<i>Andrographis serpyllifolia</i> (Vahl.) Wight. .	Acanthaceae	Leaf decoction is used to treat snake bite	AJPSR (Vaidyanathan et al)	2013
44	<i>Angiopteris evecta</i> (G. Forst.) Hoffm.	Maranttiaceae	Decoction obtained from the leaf is taken orally along with lemon juice to treat intestinal ulcer and stomachache.	JNPPR (Karthik et al)	2011

45	<i>Anisochilus carnosus</i> Wallich & ex Benth.	Lamiaceae	Leaf paste applied topically for cut wounds	IJTK (Francies <i>et al.</i> )IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
46	<i>Anisomeles indica</i> (L.) Kuntze.	Lamiaceae	Leaf paste is used to treat snake bite	AJPSR (Vaidyananthan <i>et al</i> )	2013
47	<i>Anisomeles malabarica</i> (L.) R.Br. Ex.Sims	Lamiaceae	Stem paste mixed with coconut oil is applied topically over the wounds.	IJTK (Francies <i>et al.</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
48	<i>Annona squamosa</i> L.	Annonaceae	Root paste is used to cure scorpion bite	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
49	<i>Anogeissus latifolia</i> Wall.	Combretaceae	Stem bark extract is administered twice a day for 3 days to treat cough	AJPSR (Vaidyananthan <i>et al</i> )	2013
50	<i>Argemone maxicana</i> L.	Papaveraceae	Fresh leaf paste is used externally for skin diseases	IJTK (Francies <i>et al.</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
51	<i>Arisaema tortuosum</i> (Wall). Schott	Araceae	Rhizome boiled with tamarind taken orally to treat piles	IJRAP (kuru <i>et al</i> )	2011
52	<i>Aristolochia bracteata</i> L. Retz.	Aristolochiaceae	Fresh leaf paste is given internally in combination with castor oil as remedy for colic. Whole plant paste applied externally on the wound of snake bite.	IJTK (Francies <i>et al.</i> ) APSR (kadirvelmurugan <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> ) IJRES (Natarajan <i>et al</i> ) Article 029 (Palanisamy <i>et al.</i> ) IJBLs (Natarajan <i>et al</i> ) JNR (Senthil <i>et al.</i> ) IJRAP (kuru <i>et al</i> )	2011, 2013, 2014
53	<i>Aristolochia heterophylla</i> Hemsl.	Moraceae	Seed oil is used to reduce body heat	AJPSR (Vaidyananthan <i>et al</i> )	2013
54	<i>Aristolochia indica</i> L.	Aristolochiaceae	Leaf paste is used to treat menstrual problems	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
55	<i>Aristolochia tagala</i> Cham.	Aristolochiaceae	Paste of whole plant is used to treat stomachache	IJBLs (Natarajan <i>et al</i> ) APSR (kadirvelmurugan <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> ) IJRES (Natarajan <i>et al</i> )	2013, 2014
56	<i>Artemisia nilagirica</i> (C.B. Clarke)	Compositae	Leaf juice used to treat antileprotic	IJBLs (Natarajan <i>et al</i> ) NPR (Anand <i>et al</i> ) IJRES (Natarajan <i>et al</i> )	2005, 2013
57	<i>Artocarpus hirsutus</i> Lam.	Moraceae	Bark paste is used for bone treatment	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
58	<i>Asparagus racemosus</i> Willd.	Litiaceae	Powder obtained from the root is mixed with freshwater as tonic to treat liver disorders, jaundice,	Article 029 (Palanisamy <i>et al.</i> ) IJBLs (Natarajan <i>et al</i> ) JNR (Senthil <i>et al.</i> ) NPR (Anand <i>et al</i> )	2005, 2011, 2013,

			dysentery, chronic fevers and enhance lactation.	APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2014
59	<i>Azadirachta indica</i> A. Juss	Meliaceae	Decoction obtained from the bark is used to treat liver diseases. Fresh paste obtained from leaves is applied externally for skin diseases and small pox. The young stem cuttings are used as tooth brush to develop strong teeth.	IJTK (Francies et al.) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRAP (kuru et al)	2011, 2013, 2014
60	<i>Azima tetracantha</i> Lam.	Salvadoraceae	Root paste is applied externally for cut wounds	IJBLS (Natarajan et al) IJRAP (kuru et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2013
61	<i>Bacopa monnieri</i> (L.) Pennell	Scrophulariaceae	Whole plant paste is applied externally for dog bite	NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2013
62	<i>Bambusa arundinacea</i> (Retz.) Willd.	Poaceae	Cooked tender shoots is used to treat indigestion.	JBR (Senthil et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2012, 2013, 2014
63	<i>Barleria strigosa</i> Willd.	Acanthaceae	Root paste is used to cure snake bite	AJPSR (Vaidyanathan et al)	2013
64	<i>Basella alba</i> L.	Basellaceae	Leaf juice is used as drops for eye infections.	Article 029 (Palanisamy et al.) IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
65	<i>Begonia malabrica</i> Lam.	Begoniaceae	Leaf juice in combination with ginger is used to treat asthma	JNR ( Senthil et al.) IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2013
66	<i>Blechnum orientale</i> L.	Blechnaceae	Juice extracted from the leaf is used to cure intestinal wounds; the paste made from the rhizome is used to cure urinary bladder.	JNPPR (Karthik et al.)	2011
67	<i>Blepharis maderaspatensis</i> (L.) B.Heyne ex Roth	Acanthaceae	Leaves in combination with egg and onion is used to cure bone fracture	JNR ( Senthil et al.) IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2013
68	<i>Boerhavia diffusa</i> L.	Nyctaginaceae	The whole plant decoction is used to treat cough, fever and jaundice. Fresh leaf paste is used to treat externally for skin infections.	IJTK (Francies et al.) AJPSR (Vaidyanathan et al) Article 029 (Palanisamy et al.) IJRAP (kuru et al)	2011, 2013

69	<i>Boswellia serrata</i> Roxb.	Burseraceae	Leaf juice is applied externally for skin infections	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
70	<i>Botrychium lanuginosum</i> Wall.	Ophioglossaceae	Shade dried whole plant parts are ground with the seeds of pepper and cumin seeds and taken orally to get relief from body pain. Leaves are boiled with water and ground into paste and applied over the affected places to heal wounds.	JNPPR (Karthik et al.)	2011
71	<i>Bougainvillea spectabilis</i> Willd.	Nyctaginaceae	Juice extracted from leaf is used to treat jaundice, dysentery and diarrhoea. Roots are used to treat cough and fever	Article 029 (Palanisamy et al.)	2011
72	<i>Brassica juncea</i> Hk. f. & T.	Brassicaceae	Leaf juice is used to treat ear wounds	AJPSR (Vaidyanathan et al)	2013
73	<i>Cadaba fruticosa</i> (L.) Druce.	Capparaceae	Leaf paste in combination with egg is used for bone fracture	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
74	<i>Caesalpinia bonducella</i> (L.) Flem.	Leguminosae	Seed juice is used to treat diuretic	IJBLS (Natarajan et al) NPR (Anand et al) IJRES (Natarajan et al)	2005, 2013
75	<i>Calendula officinalis</i> L.	Compositae	Flower juice is taken internally for stomachache	IJBLS (Natarajan et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2013, 2014
76	<i>Calotropis gigantea</i> (L.) R.Br.	Apocynaceae	Boiled leaf paste is applied topically for tumours. The plant powder blended with milk is used to treat leprosy, syphilis, ulcer, dysentery, diarrhoea and rheumatism.	IJTK (Francies et al.) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.)	2011, 2013
77	<i>Calotropis procera</i> L.	Apocynaceae	Roots paste is used to treat toothache. The flowers powder mixed with black pepper to treat snake bite.	Article 029 (Palanisamy et al.) JNR ( Senthil et al.)	2011, 2013
78	<i>Canarium strictum</i> Roxb.	Burseraceae	Leaf juice applied externally for skin infections	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
79	<i>Canavalia virosa</i> Baker.	Leguminosae	Young pods are taken with diet to treat asthma	AJPSR (Vaidyanathan et al)	2013
80	<i>Canthium coromandelicum</i> (Burm.f.) Alston	Rubiaceae	Paste of root and leaf is used to treat diuretic	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013

81	<i>Caralluma umbellata</i> Haw.	Apocynaceae	Roasted whole plant paste is used to treat indigestion	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
82	<i>Cardiospermum halicacabum</i> (L.) WC	Sapindaceae	Paste of whole plant is taken twice a day for fits.	IJTK (Francies et al.) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR (Senthil et al.) IJRAP (kuru et al)	2011, 2013, 2014
83	<i>Carica papaya</i> L.	Caricaceae	Decoction obtained from fruit is used to maintain blood pressure. Latex is used to treat scorpion sting	Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR (Senthil et al.) IJRES (Natarajan et al)	2011, 2013
84	<i>Ehretia microphylla</i> Lam.	Boraginaceae	Leaf paste is used to treat for digestion	IJRAP (kuru et al)	2011
85	<i>Carum roxburghianum</i> Benth.	Apiaceae	Fruit juice is used to treat respiratory ailments and flatulence	NPR (Anand et al)	2005
86	<i>Caryota urens</i> L.	Arecaceae	Root juice is used to treat snake bite and gastric ulcers	AJPSR (Vaidyanathan et al)	2013
87	<i>Cassia alata</i> L.	Leguminosae	Leaf decoction is used to treat fungal problems	NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2013
88	<i>Cassia auriculata</i> L.	Leguminosae	Flowers decoction blended with goat's milk taken orally to treat white discharge in women. Leaf paste is applied topically for skin rashes. Seeds juice is used to treat diabetes and leaf juice is used to treat heart diseases and eye infections.	IJTK (Francies et al.) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al)	2011, 2013, 2014
89	<i>Cassia fistula</i> L.	Leguminosae	Flower decoction is used to cure fever, abdominal pain and skin infections	JNR ( Senthil et al.) AJPSR (Vaidyanathan et al)	2013
90	<i>Cassia occidentalis</i> L.	Leguminosae	Leaf paste is applied externally for healing bone fracture	IJTK (Francies et al.) NPR (Anand et al)	2005, 2011
91	<i>Cassia tora</i> L.	Leguminosae	Leaf and seed paste is applied externally for skin infections	IJBLS (Natarajan et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2013, 2014
92	<i>Catharanthus roseus</i> (L.) G. Don.	Apocynaceae	Plant juice is used to treat anticancer	IJBLS (Natarajan et al) NPR (Anand et al) APSR (kadirvelmurugan et al) IJRES	2005, 2013, 2014



				(Natarajan et al)	
93	<i>Cayratia pedata</i> Juss.	Vitaceae	Leaf paste in combination with milk is used to treat ulcer	IJRAP (kuru et al) AJPSR (Vaidyananthan et al)	2011, 2013
94	<i>Ceiba pentandra</i> (L.) Gaertn.	Malvaceae	Root paste is used externally for scorpion bite	AJPSR (Vaidyananthan et al)	2013
95	<i>Centella asiatica</i> (L.) Urban	Apiaceae	Leaves decoction is used to treat gastritis, cardiac ailments and blood purification. Fresh leaf juice is given to improve memory power.	IJTK (Francies et al.) NPR (Anand et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyananthan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR (Senthil et al.) IJRAP (kuru et al)	2005, 2011, 2013, 2014
96	<i>Centratherum anthelminticum</i> (L.) Kuntze	Compositae	Dried seed powder is used to cure diabetes	AJPSR (Vaidyananthan et al)	2013
97	<i>Ceratopteris thalictroides</i> (L.) Brongn.	Pteridaceae	The whole plant parts are ground into paste and mixed with turmeric. The mixture is applied over the affected places to treat cure skin diseases and wounds.	JNPPR (Karthik et al.)	2011
98	<i>Cheilanthes spp.</i>	Pteridaceae	Juice obtained from the leaves is mixed with hot water and taken orally along with honey to treat throat pain.	JNPPR (Karthik et al.)	2011
99	<i>Chenopodium ambrosioides</i> L.	Chenopodiaceae	Leaf juice applied externally for skin infections	IJRAP (kuru et al) AJPSR (Vaidyananthan et al)	2011, 2013
100	<i>Christella spp.</i>	Thelypteridaceae	The juice obtained from the leaf is taken orally to treat swellings.	JNPPR (Karthik et al.)	2011
101	<i>Cinnamomum tamala</i> Nees & Eberm.	Lauraceae	Leaf and bark decoction is taken internally for diaphoretic	IJBLS (Natarajan et al) NPR (Anand et al) IJRES (Natarajan et al)	2005, 2013
102	<i>Cinnamomum zeylanicum</i> Breyn.	Lauraceae	Bark decoction is used to treat stimulant	IJBLS (Natarajan et al) NPR (Anand et al) IJRES (Natarajan et al) IJRES (Natarajan et al)	2005, 2013
103	<i>Cipadessa baccifera</i> (Roth) Miq.	Meliaceae	Leaf paste is used to treat diarrhea	IJRAP (kuru et al) AJPSR (Vaidyananthan et al)	2011, 2013
104	<i>Cissampelos pareira</i> L.	Menispermaceae	Whole plant is used to treat diarrhea	IJRAP (kuru et al) AJPSR (Vaidyananthan et al)	2011, 2013

105	<i>Cissus quadrangularis</i> L.	Vitaceae	Stem paste is used topically to treat dog bites. The whole plant powder is combination with milk is used to treat asthma. Plant extract taken orally to cure skin ailments.	IJTK (Francies <i>et al.</i> ) IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> ) IJRES (Natarajan <i>et al</i> ) Article 029 (Palanisamy <i>et al.</i> ) IJBLS (Natarajan <i>et al</i> ) JNR (Senthil <i>et al.</i> )	2011, 2013
106	<i>Cissus setosa</i> Roxb.	Vitaceae	Leaf juice is used to cure intestinal worms	AJPSR (Vaidyananthan <i>et al</i> )	2013
107	<i>Citrus aurantifolia</i> (Christm.) Swingle	Rutaceae	Root decoction is used to treat asthma. Fruit juice is given as an emollient. Leaves taken as decoction for headache, cold and fever.	IJTK (Francies <i>et al.</i> ) APSR (kadirvelmurugan <i>et al</i> ) IJRES (Natarajan <i>et al</i> ) Article 029 (Palanisamy <i>et al.</i> ) IJBLS (Natarajan <i>et al</i> )	2011, 2013, 2014
108	<i>Citrus limon</i> (L.) Burm. f.	Rutaceae	Fresh ripe skin used to treat skin infections	IJBLS (Natarajan <i>et al</i> ) APSR (kadirvelmurugan <i>et al</i> ) IJRES (Natarajan <i>et al</i> )	2013, 2014
109	<i>Citrus medica</i> L.	Rutaceae	Juice extracted from leaves is used to treat fever and dyspepsia.	Article 029 (Palanisamy <i>et al.</i> ) JNR (Senthil <i>et al.</i> )	2011, 2013
110	<i>Cleistanthus collinus</i> (Roxb.) Benth. ex Hook.f.	Phyllanthaceae	Fruits are used to treat poisonous bites	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
111	<i>Cleome gynandra</i> L.	Cleomaceae	Leaves is used to treat cold	AJPSR (Vaidyananthan <i>et al</i> )	2013
112	<i>Cleome viscosa</i> L.	Cleomaceae	Leaf paste is used externally to treat wounds. Seed paste taken orally with milk/water to treat liver disorders.	IJTK (Francies <i>et al.</i> ) Article 029 (Palanisamy <i>et al.</i> )	2011
113	<i>Clerodendrum phlomidis</i> L.f.	Lamiaceae	Leaves decoction is taken twice a day for urinary tract disorders	IJTK (Francies <i>et al.</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
114	<i>Rotheca serrata</i> (L.) Steane & Mabb.	Lamiaceae	Leaf and root decoction is used to treat gastric ailments	IJBLS (Natarajan <i>et al</i> ) NPR (Anand <i>et al</i> ) IJRES (Natarajan <i>et al</i> )	2005, 2013
115	<i>Clitoria ternatea</i> L.	Leguminosae	Juice obtained from leaves is taken orally to treat dropsy and antipyretic.	Article 029 (Palanisamy <i>et al.</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
116	<i>Coccinia grandis</i> (L.) J.Viogt	Cucurbitaceae	Leaf extract is used to treat ulcer	JNR (Senthil <i>et al.</i> ) IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
117	<i>Cocculus hirsutus</i> Diels.	Menispermaceae	Leaf juice is taken to cure leukemia.	JBR (Senthil <i>et al.</i> ) JNR (Senthil <i>et al.</i> ) IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2012, 2013

118	<i>Cochlospermum religiosum</i> (L.) Alston	Bixaceae	Gum from the bark is used to treat bone fracture	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
119	<i>Cocos nucifera</i> L.	Arecaceae	Coconut ash in combination with coconut oil is used for poisonous insect bites	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
120	<i>Coelogyne breviscapa</i> Lindl.	Orchidaceae	Paste of pseudobulbs applied externally for insect bites and swellings.	JFMA, Dwarakan et al	1994
121	<i>Plectranthus amboinicus</i> (Lour.) Spreng.	Lamiaceae	Leaf juice is taken orally for cough.	IJTK (Francies et al.) NPR (Anand et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR (Senthil et al.) IJRAP (kuru et al)	2005, 2011, 2013, 2014
122	<i>Combretum ovalifolium</i> Roxb.	Combretaceae	Bark juice is used to cure jaundice	AJPSR (Vaidyanathan et al)	2013
123	<i>Cryptocoryne spiralis</i> Fisch.	Araceae	Rhizome is used to treat piles	AJPSR (Vaidyanathan et al)	2013
124	<i>Cryptolepis dubia</i> (Burm.f.) M.R.Almeida	Apocynaceae	Milky latex is applied topically to treat poisonous insect bites	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
125	<i>Curculigo orchioides</i> Gaertn.	Hypoxidaceae	Rhizome is used to treat aphrodisiac. Root paste is used to treat toothache	IJRAP (kuru et al) NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2011, 2013
126	<i>Curcuma longa</i> L.	Zingiberaceae	Rhizome paste is applied externally to treat snake bite	JNR ( Senthil et al.) AJPSR (Vaidyanathan et al)	2013
127	<i>Cymbidium aloifolium</i> (L.) SW	Orchidaceae	Tuber paste is applied topically for wounds	IJTK (Francies et al.)	2011
128	<i>Cymbopogon flexuosus</i> Wats.	Poaceae	Leaf juice is used to treat headache	AJPSR (Vaidyanathan et al)	2013
129	<i>Cynodon dactylon</i> L.	Poaceae	The whole plant decoction given orally to treat diabetes, ulcers and body cooling. Leaf juice is given for digestion.	IJTK (Francies et al.) IJRAP (kuru et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR (Senthil et al.)	2011, 2013
130	<i>Dalbergia latifolia</i> Roxb.	Leguminosae	Root paste is used to treat menorrhagia	AJPSR (Vaidyanathan et al)	2013
131	<i>Dalbergia sissoo</i> Roxb.	Leguminosae	Leaf juice is used to reduce the body temperature	AJPSR (Vaidyanathan et al)	2013
132	<i>Datura metel</i> L.	Solanaceae	Leaf paste is used to treat eye diseases. Leaf juice is used to	IJTK (Francies et al.) AJPSR (Vaidyanathan et al) IJRES	2011, 2013

			treat asthma and chronic ulcers.	(Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al)	
133	<i>Datura stramonium</i> L.	Solanaceae	Leaf juice is used to treat asthmatic problems	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
134	<i>Delonix elata</i> L.	Leguminosae	Juice of fresh twig is used to treat cold	IJBLS (Natarajan et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2013, 2014
135	<i>Dicranopteris linearis</i> (Burm. f.) Underw.	Gleichiniaceae	The rhizome is made into a paste and taken orally to cure asthma.	JNPPR (Karthik et al.)	2011
136	<i>Dioscorea oppositifolia</i> L.	Dioscoreaceae	Tubers are used externally to reduce swellings	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
137	<i>Dioscorea pentaphylla</i> L.	Dioscoreaceae	Root juice is used to cure cough	AJPSR (Vaidyanathan et al)	2013
138	<i>Diospyros montana</i> Roxb.	Ebenaceae	Stem bark paste is used externally for scabies	AJPSR (Vaidyanathan et al)	2013
139	<i>Diplazium</i>	Athyriaceae	Handful of leaves are made into juice and taken orally twice a day to get relief from cold and cough.	JNPPR (Karthik et al.)	2011
140	<i>Dipteracanthus patulus</i> Jacq.	Acanthaceae	Paste of stem and leaf is used to treat swelling	IJBLS (Natarajan et al) IJRES (Natarajan et al)	2013
141	<i>Dodonaea angustifolia</i> L.f.	Sapindaceae	Whole plant decoction is useful to treat rheumatism, skin diseases, fever and sore throat.	AJPSR (Vaidyanathan et al)	2013
142	<i>Drosera burmanni</i> Vahl.	Droseraceae	Whole plant paste is used to cure diarrhea	AJPSR (Vaidyanathan et al)	2013
143	<i>Drymaria cordata</i> L.	Caryophyllaceae	Leaf paste to treat headache	IJBLS (Natarajan et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2013, 2014
144	<i>Drynaria quercifolia</i> (L.) J.Sm.	Polypodiaceae	Skin removed rhizome is made into a paste and boiled with pepper, cumin seeds, onion and garlic along with water. The mixture thus obtained is taken orally to get relief from body pain, knee pain and joint pain.	JNPPR (Karthik et al.) IJRAP (kuru et al)	2011
145	<i>Dryopteris filix-mass</i> (L.) Schott	Polypodiaceae	Rhizome extract is used to treat worms	NPR (Anand et al)	2005

146	<i>Eclipta prostrata</i> (L.) L.	Compositae	Leaves decoction is used as tonic for jaundice and skin diseases. Dried leaves powder mixed with coconut oil is applied topically on skin diseases	Article 029 (Palanisamy et al.) NPR (Anand et al) AJPSR (Vaidyanathan et al)IJTK (Francies et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2005, 2011, 2013, 2011, 2013
147	<i>Elettaria cardamomum</i> (L.) Maton	Zingiberaceae	Fruit is used as mouth freshner	AJPSR (Vaidyanathan et al)	2013
148	<i>Embelia ribes</i> Burm.f	Primulaceae	Leaves juice is used to cure skin infections, dyspepsia and intestinal worms.	AJPSR (Vaidyanathan et al)	2013
149	<i>Phyllanthus emblica</i> L.	Phyllanthaceae	Dried fruit powder is used to treat diarrhoea, anemia, jaundice and dyspepsia. Juice extracted from leaf is blended with black pepper to treat scorpion sting.	Article 029 (Palanisamy et al.) AJPSR (Vaidyanathan et al)	2011, 2013
150	<i>Emilia sonchifolia</i> (L.) DC. ex DC.	Compositae	Root extract is used to cure dysentery	AJPSR (Vaidyanathan et al)	2013
151	<i>Enicostema axillare</i> (Poir. ex Lam.) A.Raynal	Gentianaceae	Leaf paste is used to treat stomachache	IJBLS (Natarajan et al) IJRES (Natarajan et al)	2013
152	<i>Entada rheedii</i> Spreng.	Leguminosae	Cotyledons paste is used externally to treat inflammation	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
153	<i>Tabernaemontana divaricata</i> (L.) R.Br. ex Roem. & Schult.	Apocynaceae	Root decoction is used to cure indigestion, rheumatoid and diarrhea	AJPSR (Vaidyanathan et al)	2013
154	<i>Syzygium aromaticum</i> (L.) Merr. & L.M.Perry	Myrtaceae	Dried flower bud extract is used to treat toothache	NPR (Anand et al)	2005
155	<i>Euphorbia cyathophora</i> Murray	Euphorbiaceae	Leaf juice is taken twice a day to induce lactation in women	IJTK (Francies et al.)	2011
156	<i>Euphorbia heterophylla</i> L.	Euphorbiaceae	Leaf extract is used to treat diarrhea	AJPSR (Vaidyanathan et al)	2013
157	<i>Euphorbia hirta</i> L.	Euphorbiaceae	Juice of whole plant is given twice a day in haemorrhagic enteritis	IJTK (Francies et al.) NPR (Anand et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRAP (kuru et al)	2005, 2011, 2013, 2014

158	<i>Euphorbia nivulia</i> Buch.-Ham.	Euphorbiaceae	Stem bark in combination with ginger is used to treat dog bite	IJRAP (kuru et al)	2011
159	<i>Euphorbia rothiana</i> Spreng.	Euphorbiaceae	Leaf juice is used to cure asthma, cough and diarrhea	AJPSR (Vaidyanathan et al)	2013
160	<i>Evolvulus alsinoides</i> L.	Convolvulaceae	Fresh plant juice is used to cure fever and worms.	JNR ( Senthil et al.) IJRAP (kuru et al) NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2011, 2013
161	<i>Ficus benghalensis</i> L.	Moraceae	Bark decoction and seed powder of the plant is used to cure gonorrhoea and dysentery. Latex is applied on sores, ulcers and rheumatism.	Article 029 (Palanisamy et al.)	2011
162	<i>Ficus exasperata</i> Vahl	Moraceae	Leaves decoction is used to cure cough, stomach ailments, piles and ulcer.	AJPSR (Vaidyanathan et al)	2013
163	<i>Ficus hispida</i> L. f.	Moraceae	Whole plant juice is used to treat jaundice, diabetes and anemia	JNR ( Senthil et al.) AJPSR (Vaidyanathan et al)	2013
164	<i>Ficus microcarpa</i> L.	Moraceae	Leaf extract is used to cure dysentery and stomach disorders.	JBR (Senthil et al.) JNR ( Senthil et al.)	2012, 2013
165	<i>Ficus mollis</i> Vahl.	Moraceae	Leaf paste is used to treat asthma	AJPSR (Vaidyanathan et al)	2013
166	<i>Ficus racemosa</i> L.	Moraceae	The stem latex is applied on cracked hills	IJTK (Francies et al.) JNR ( Senthil et al.) NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2011, 2013
167	<i>Ficus religiosa</i> L.	Moraceae	Leaves paste are applied to treat skin ailments. The dried bark powder mixed with honey is used as an anti-inflammatory agent.	Article 029 (Palanisamy et al.) JNR ( Senthil et al.)	2011, 2013
168	<i>Flueggea leucopyrus</i> Willd.	Phyllanthaceae	Boiled leaves are taken twice a day to cure stomach problems	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
169	<i>Gadenia gummifera</i> L.	Rubiaceae	Resin is used to treat headache	IJBLS (Natarajan et al) IJRES (Natarajan et al)	2013
170	<i>Garuga pinnata</i> Rox.	Burseraceae	Leaf juice is used to treat asthma	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
171	<i>Gloriosa superba</i> L.	Liliaceae	Rhizome paste is applied to treat wounds.	IJTK (Francies et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRAP (kuru et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2011, 2013
172	<i>Glycyrrhiza glabra</i> L.	Leguminosae	Root decoction is used to treat	IJBLS (Natarajan et al) NPR	2005,

			ulcer	(Anand et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2013, 2014
173	<i>Gmelina asiatica</i> L.	Lamiaceae	Ripened fruits are crushed and applied externally for dandruff	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
174	<i>Grewia gamblei</i> Drumm.	Malvaceae	Leaf juice and root bark is used to cure scorpion bite	AJPSR (Vaidyanathan et al)	2013
175	<i>Gymnema sylvestre</i> (Retz) R. Br.	Apocynaceae	Leaf and root decoction used to treat diabetes	IJTK (Francies et al.) NPR (Anand et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR (Senthil et al.) IJRAP (kuru et al)	2005, 2011, 2013, 2014
176	<i>Habenaria longicorniculata</i> Granham	Orchidaceae	Fresh tubers are used to treat fever	IJRAP (kuru et al)	2011
177	<i>Helicteres isora</i> L.	Malvaceae	Fruit powder in combination with water to treat diarrhea and dysentery	JNR ( Senthil et al.) AJPSR (Vaidyanathan et al)	2013
178	<i>Hemidesmus indicus</i> (L.) R.Br. Muell	Apocynaceae	Whole plant juice is used to reduce body heat.	IJTK (Francies et al.) IJBLS (Natarajan et al) IJRAP (kuru et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2011, 2013, 2014
179	<i>Hemionitis arifolia</i> (Burm. f.) T. Moore	Pteridaceae	Root is mixed with turmeric ground into paste. The mixture is applied over the affected places to cure cuts, wounds, body pains and swellings.	JNPPR (Karthik et al.)	2011
180	<i>Hibiscus abelmoschus</i> L.	Malvaceae	Flower paste is used to treat skin infections	IJBLS (Natarajan et al) NPR (Anand et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2005, 2013, 2014
181	<i>Hibiscus rosa-sinensis</i> L.	Malvaceae	Dried leaves blended with water for healthy and black hair.	Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRES (Natarajan et al)	2011, 2013
182	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex DC.	Apocynaceae	Root bark decoction is used to treat dysentery	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013

183	<i>Huperzia</i> spp.	Lycopodiaceae	The whole plant is ground into a paste and applied over wounds; tribal people used this plant as a religious plant and they kept the plant in their pooja room and they believe that the plant will cure their body sickness.	JNPPR (Karthik <i>et al.</i> )	2011
184	<i>Hybanthus enneaspermus</i> (L.) F. Muell	Violaceae	Leaf decoction is used to treat fever and aphrasiadic	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyanathan <i>et al</i> )	2011, 2013
185	<i>Indigofera aspalathoides</i> Vahl.	Leguminosae	The whole plant juice is used to treat diarrhea	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyanathan <i>et al</i> )	2011, 2013
186	<i>Ipomoea staphylina</i> Roem. & Schultes	Convolvulaceae	Leaf paste is used to treat diarrhea	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyanathan <i>et al</i> )	2011, 2013
187	<i>Jasminum grandiflorum</i> L.	Oleaceae	Whole plant extract is used to treat ulcers, skin infections and cut wounds	JNR ( Senthil <i>et al.</i> ), AJPSR (Vaidyanathan <i>et al</i> )	2013
188	<i>Jatropha curcas</i> L.	Euphorbiaceae	Latex is used to treat bleeding gums and toothache	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyanathan <i>et al</i> )	2011, 2013
189	<i>Justica adhatoda</i> L.	Acanthaceae	Leaf juice is used to cure fever	IJRAP (kuru <i>et al</i> )	2011
190	<i>Justicia gendarussa</i> L. f.	Acanthaceae	Whole plant extract is used to treat headache	AJPSR (Vaidyanathan <i>et al</i> )	2013
191	<i>Justicia tranquebariensis</i> L.	Acanthaceae	Leaf juice is used to cure snake bite	AJPSR (Vaidyanathan <i>et al</i> )	2013
192	<i>Bryophyllum pinnatum</i> (Lam.) Oken	Crassulaceae	Leaf decoction is used to reduce body temperature	IJBLS (Natarajan <i>et al</i> ) AJPSR (Vaidyanathan <i>et al</i> ) IJRES (Natarajan <i>et al</i> )	2013
193	<i>Kleinia grandiflora</i> (wallich ex DC.) N.Rani	Compositae	Leaf paste is used to cure joints pains and ear problems	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyanathan <i>et al</i> )	2011, 2013
194	<i>Lagenaria siceraria</i> (Mol.) Stan.	Cucurbitaceae	Fruit juice is used to treat stomach acidity, ulcers and indigestion.	JBR (Senthil <i>et al.</i> ) JNR ( Senthil <i>et al.</i> )	2012, 2013
195	<i>Lannea coromandelica</i> (Houtt.) Merr.	Anacardiaceae	Leaf paste applied for body pains and inflammation	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyanathan <i>et al</i> )	2011, 2013
196	<i>Lantana camara</i> L.	Verbenaceae	Leaf decoction is used to treat stomach ache	IJTK (Francies <i>et al.</i> ) APSR (kadirvelmurugan <i>et al</i> ) IJRES (Natarajan <i>et al</i> ) Article 029 (Palanisamy <i>et al.</i> ) IJBLS (Natarajan <i>et al</i> ) JNR ( Senthil <i>et al.</i> ) IJRAP (kuru <i>et al</i> )	2011, 2013, 2014
197	<i>Launaea nudicaulis</i> Hook.f.	Compositae	Leaf extract is used to stimulate	NPR (Anand <i>et al</i> )	2005



			purgative		
198	<i>Lawsonia inermis</i> L.	Lythraceae	Leaves decoction is used to treat skin infections	JNR ( Senthil et al.) NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2013
199	<i>Lepidagathis cristata</i> Willd.	Acanthaceae	Decoction from leaves is used to treat malarial fever	AJPSR (Vaidyanathan et al)	2013
200	<i>Lepisanthes tetraphylla</i> Radlk.	Sapindaceae	Leaf extract is used to cure cough	AJPSR (Vaidyanathan et al)	2013
201	<i>Leucas aspera</i> Link	Lamiaceae	Leaf paste is used to treat skin problems. Juice extracted from leaves is used to treat dysentery, headache and fever.	IJTK (Francies et al.) IJRAP (kuru et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al) JBR (Senthil et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.)	2011, 2012, 2013, 2014
202	<i>Leucostegia immersa</i> Wall. ex C.	Dryopteridaceae	The rhizome is mixed with water and turmeric and made into a paste. The mixture is tied with cloth over the affected places to treat swellings.	JNPPR (Karthik et al.)	2011
203	<i>Lobelia nicotianaefolia</i> Heyne	Campanulaceae	Whole plant extract is used for dog bite, eye infections and asthma	AJPSR (Vaidyanathan et al)	2013
204	<i>Luffa cylindrica</i> (L.) Roemer	Cucurbitaceae	Leaf juice is used to cure snake bite	AJPSR (Vaidyanathan et al)	2013
205	<i>Lycopodiella cernua</i> (L.) Pic. Serm.	Lycopodiaceae	The juice made from the whole plant is mixed with honey and cow's milk and given orally to children to get relief from cough and cold. Paste made from the whole plant is applied over the affected places to heal wounds.	JNPPR (Karthik et al.)	2011
206	<i>Lygodium microphyllum</i> (Cav.) R. Br.	Lygodiaceae	Leaf is ground into paste with turmeric and applied over the affected places to heal wounds; Juice made from the plant is taken orally along with pepper to get relief from cough.	JNPPR (Karthik et al.)	2011
207	<i>Macaranga peltata</i> (Roxb.) Müll.Arg.	Euphorbiaceae	Bark is used to treat back pain and also for kidney stones	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013

208	<i>Madhuca longifoila</i> (L.) JFMacbr.	Sapotaceae	Leaf paste is used to cure skin ailments	IJBLS (Natarajan et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2013, 2014
209	<i>Mangifera indica</i> L.	Anacardiaceae	Dried seed powder mixed with cow's milk to treat diabetics and dysentery	JNR ( Senthil et al.) AJPSR (Vaidyananthan et al)	2013
210	<i>Maranta arundinacea</i> L.	Marantaceae	Rhizome decoction is used to treat amoebic dysentery	NPR (Anand et al)	2005
211	<i>Pergularia brunoniana</i> (Wight & Arn.) D. Dietr.	Apocynaceae	Leaf powder in combination with hot water to treat diabetics	IJRAP (kuru et al) AJPSR (Vaidyananthan et al)	2011, 2013
212	<i>Marsilea quadrifolia</i> L.	Marsileaceae	Handful of leaves are mixed with pepper and garlic and ground into paste. The paste is taken orally to treat cold and cough. The paste is mixed with turmeric and applied over the affected places to cure skin diseases.	JNPPR (Karthik et al.)	2011
213	<i>Memecylon umbellatum</i> Burm.	Melastomataceae	Leaf paste is applied topically for skin infections	AJPSR (Vaidyananthan et al)	2013
214	<i>Michelia champaca</i> L.	Magnoliaceae	Bark decoction is used to stimulate purigative and expectorant. Leaf juice is used to treat snake bite	NPR (Anand et al) AJPSR (Vaidyananthan et al)	2005
215	<i>Microsorium punctatum</i> (L.) Copel.	Polypodiaceae	Leaf is ground into juice applied over the affected places twice a day with hot water to heal wounds.	JNPPR (Karthik et al.)	2011
216	<i>Mimosa hamata</i> Willd.	Leguminosae	Fresh stem extract is used to cure snake bite	AJPSR (Vaidyananthan et al)	2013
217	<i>Mimosa pudica</i> L.	Leguminosae	Leaf paste is used to cure cold	IJTK (Francies et al.) NPR (Anand et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyananthan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRAP (kuru et al)	2005, 2011, 2013, 2014
218	<i>Mimusops elengi</i> L.	Sapotaceae	Fruit is used to treat infertility	AJPSR (Vaidyananthan et al)	2013
219	<i>Mirabilis jalapa</i> L.	Nyctaginaceae	Leaf juice mixed with water to cure jaundice, dysentery, diarrhoea and dyspepsia.	Article 029 (Palanisamy et al.)	2011

220	<i>Mollugo pentaphylla</i> L.	Aizoaceae	Leaves boiled in water is used to reduce body temperature	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
221	<i>Momordica charantia</i> L.	Cucurbitaceae	Leaf juice is taken after urination in the morning to treat menstrual disorders	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
222	<i>Momordica dioica</i> Roxb. ex. Willd.	Cucurbitaceae	Leaf juice is used to treat vermifuge	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
223	<i>Morinda tinctoria</i> L.	Rubiaceae	Leaves decoction is taken as tonic. Fruit decoction mixed with black pepper is used to treat diarrhoea and dysentery.	Article 029 (Palanisamy et al.)	2011
224	<i>Moringa oleifera</i> Lam.	Moringaceae	Fresh flower is taken as food to increase sperm count in men	IJTK (Francies et al.) JNR ( Senthil et JBR (Senthil et al.)	2011, 2012, 213
225	<i>Mucuna gigantean</i> DC.	Leguminosae	Roots are grounded and applied topically on the stomach to cure stomach upset	AJPSR (Vaidyanathan et al)	2013
226	<i>Mucuna pruriens</i> (L.) DC.	Leguminosae	Seed powder is used to treat urinary diseases	IJBLS (Natarajan et al) NPR (Anand et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2005, 2013, 2014
227	<i>Musa paradisiaca</i> L.	Musaceae	Bark juice mixed with milk used as anti-venom.	Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRAP (kuru et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2011, 2013, 2014
228	<i>Myristica dactyloides</i> Gaertn.	Myristicaceae	Seed paste in combination with water is used to treat dysentery	AJPSR (Vaidyanathan et al)	2013
229	<i>Myristica fragrans</i> Hoult.	Myristicaceae	Seeds decoction is used to treat flatulence and aphrodisiac	NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2013
230	<i>Naravelia zeylanica</i> DC.	Ranunculaceae	Leaf juice is used to treat paralysis	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
231	<i>Neanotis monosperma</i> (Wight & Arn.) W.H.Lewis	Rubiaceae	Powder of root, stem and leaf is applied externally to cure scorpion bite	AJPSR (Vaidyanathan et al)	2013
232	<i>Nephrolepis auriculata</i> (L.) Trimen	Nephrolepidaceae	Leaf is ground into paste with pepper and taken orally twice a day to get relief from cough.	JNPPR (Karthik et al.)	2011

233	<i>Nerium indicum</i> Mill.	Apocynaceae	Leaves and root bark paste is used to cure skin infections, ulcer, hemmorhoids and ringworm	AJPSR (Vaidyanathan et al)	2013
234	<i>Nymphaea nouchali</i> Burm.f.	Nymphaeaceae	Root paste is used to treat urination problem in children	AJPSR (Vaidyanathan et al)	2013
235	<i>Ocimum basilicum</i> L.	Lamiaceae	Leaf juice is used to treat urinary problems. Leaf juice when mixed with water is used for gonorrhoea.	Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) JNR (Senthil et al.) NPR (Anand et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2005, 2011, 2013, 2014
236	<i>Ocimum canum</i> Sims.	Lamiaceae	Juice extracted from leaves is used to cure cold, cough and fever.	Article 029 (Palanisamy et al.)	2011
237	<i>Ocimum sanctum</i> L.	Lamiaceae	Leaf juice is used for the treatment of fever, leprosy, diabetes and cough.	Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) IJRES (Natarajan et al)	2011, 2013
238	<i>Ocimum tenuiflorum</i> L.	Lamiaceae	Leaves juice is given orally for scorpion sting and chest pain.	Article 029 (Palanisamy et al.)	2011
239	<i>Oenothera glazioviana</i> Micheli.	Onagraceae	Seed paste is used to reduce cholesterol level	AJPSR (Vaidyanathan et al)	2013
240	<i>Opuntia dillenii</i> Haw.	Cactaceae	Fruits paste is applied on snake bite and dog bite. Fruits are used to treat gonorrhoea.	Article 029 (Palanisamy et al.)	2011
241	<i>Endostemon viscosus</i> (Roth) M.R.Ashby	Lamiaceae	Whole plant paste is used to treat skin ailments.	Article 029 (Palanisamy et al.)	2011
242	<i>Orthosiphon thymiflorus</i> (Roth) Sleesen	Lamiaceae	Whole plant decoction is used to cure piles, diarrhea and cut wounds	AJPSR (Vaidyanathan et al)	2013
243	<i>Passiflora edulis</i> Sims.	Passifloraceae	Seed powder and pepper taken with milk to cure asthma	IJRAP (kuru et al) NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2011, 2013
244	<i>Pavetta indica</i> L.	Rubiaceae	Leaves decoction is used treat hemorrhoids pain.	AJPSR (Vaidyanathan et al)	2013
245	<i>Pavonia zeylanica</i> (L.) Cav.	Malvaceae	Plant extract is used to stimulate purgative	NPR (Anand et al)	2005
246	<i>Peperomia tetraphylla</i> (G.Forst.) Hook. & Arn.	Piperaceae	Plant extract in combination with ginger is used to cure cold and asthma	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013

247	<i>Pergularia daemia</i> (Forssk.) Chiov.	Apocynaceae	Leaf juice is used to treat fever, asthma, gas troubles and urinal complaints.	JBR (Senthil <i>et al.</i> ) <i>IJBLS</i> (Natarajan <i>et al.</i> ) <i>JNR</i> (Senthil <i>et al.</i> ) <i>IJRAP</i> (kuru <i>et al.</i> ) <i>AJPSR</i> (Vaidyananthan <i>et al.</i> ) <i>IJRES</i> (Natarajan <i>et al.</i> )	2011, 2012, 2013
248	<i>Phyllanthus amarus</i> L.	Phyllanthaceae	Whole plant juice blended with sugar is taken as excellent remedy for jaundice and liver disorders.	Article 029 (Palanisamy <i>et al.</i> ) <i>IJBLS</i> (Natarajan <i>et al.</i> ) <i>APSR</i> (kadirvelmurugan <i>et al.</i> ) <i>AJPSR</i> (Vaidyananthan <i>et al.</i> ) <i>IJRES</i> (Natarajan <i>et al.</i> )	2011, 2013, 2014
249	<i>Physalis minima</i> L.	Solanaceae	Boiled fruits are taken for kidney problems	<i>IJTK</i> (Francies <i>et al.</i> ) <i>JNR</i> (Senthil <i>et al.</i> )	2011, 2013
250	<i>Physalis peruviana</i> L.	Solanaceae	Seeds is used to stimulate laxative	<i>NPR</i> (Anand <i>et al.</i> )	2005
251	<i>Piper brachystachyum</i> Wall.	Piperaceae	Root juice is taken for anorexia, asthma, indigestion and bronchitis	<i>AJPSR</i> (Vaidyananthan <i>et al.</i> )	2013
252	<i>Piper longum</i> L.	Piperaceae	Seed decoction is used to treat fever	<i>IJBLS</i> (Natarajan <i>et al.</i> ) <i>NPR</i> (Anand <i>et al.</i> ) <i>APSR</i> (kadirvelmurugan <i>et al.</i> ) <i>AJPSR</i> (Vaidyananthan <i>et al.</i> ) <i>IJRES</i> (Natarajan <i>et al.</i> )	2005, 2013, 2014
253	<i>Piper nigrum</i> L.	Piperaceae	Seed paste is used to cure fever	<i>IJBLS</i> (Natarajan <i>et al.</i> ) <i>NPR</i> (Anand <i>et al.</i> ) <i>APSR</i> (kadirvelmurugan <i>et al.</i> )	2005, 2013, 2014
254	<i>Piper trioicum</i> Roxb.	Piperaceae	Dried fruit is used to treat cough and cold	<i>IJRAP</i> (kuru <i>et al.</i> ) <i>AJPSR</i> (Vaidyananthan <i>et al.</i> )	2011, 2013
255	<i>Pityrogramma calomelanos</i> (L.) Link	Pteridaceae	Whole plant parts are boiled with water and the decoction thus obtained is taken orally early in the morning to treat kidney problem, fever, cough and cold. Rhizome is ground into juice and taken orally to treat asthma.	<i>JNPPR</i> (Karthik <i>et al.</i> )	2011
256	<i>Plectranthus barbatus</i> (Andr.) Benth.	Lamiaceae	Leaf extract with pepper to cure cold and cough	<i>IJRAP</i> (kuru <i>et al.</i> ) <i>AJPSR</i> (Vaidyananthan <i>et al.</i> )	2011, 2013
257	<i>Pluchea indica</i> (L.) Less.	Compositae	Seed and flower paste is used internally for body cooling	<i>IJBLS</i> (Natarajan <i>et al.</i> ) <i>APSR</i> (kadirvelmurugan <i>et al.</i> )	2013, 2014
258	<i>Plumbago indica</i> L.	Plumbaginaceae	Root extract is used to treat leucoderma and leprosy	<i>AJPSR</i> (Vaidyananthan <i>et al.</i> )	2013
259	<i>Plumbago zeylanica</i> L.	Plumbaginaceae	Latex is used externally to cure	<i>IJBLS</i> (Natarajan <i>et al.</i> ) <i>JNR</i> (	2005,

			inflammation of eye	Senthil et al.) NPR (Anand et al) AJPSR (Vaidyanathan et al)	2013
260	<i>Polygala chinensis</i> L.	Polygalaceae	Leaves extract is used to treat cough.	NPR (Anand et al)	2005
261	<i>Polypodium vulgare</i> L.	Polypodiaceae	The rhizome and leaves are mixed and made into a paste and applied over the affected places to treat swellings.	JNPPR (Karthik et al.)	2011
262	<i>Pongamia pinnata</i> (L.) Pierre	Leguminosae	Stem bark decoction with pepper is used to cure stomach ulcer.	JBR (Senthil et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRAP (kuru et al) NPR (Anand et al)	2005, 2012, 2013
263	<i>Pouzolzia cymosa</i> W.	Urticaceae	Leaves decoction in heated in water along with leaves of <i>Cassia senna</i> and <i>Narvelia zeylanica</i> to cure skin infections	AJPSR (Vaidyanathan et al)	2013
264	<i>Pouzolzia zeylanica</i> (L.) Benn.	Urticaceae	Leaf juice is used to treat worms and stomachache	AJPSR (Vaidyanathan et al)	2013
265	<i>Psidium guajava</i> L.	Myrtaceae	Young leaf juice is used to cure diarrhea	JNR ( Senthil et al.) AJPSR (Vaidyanathan et al)	2013
266	<i>Psilotum nudum</i> (L.)	Psilotaceae	Whole plant parts are soaked in water for an hour and the decoction thus obtained is mixed with turmeric and applied over the affected places to heal wounds.	JNPPR (Karthik et al.)	2011
267	<i>Psoralea corylifolia</i> L.	Leguminosae	Seed juice is used to treat poisonous bites	NPR (Anand et al)	2005
268	<i>Psydrax dicoccos</i> Gaertn.	Rubiaceae	Leaf extract in combination with banana is used for easy delivery	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
269	<i>Pteris biaurita</i> L.	Pteridaceae	The rhizome is ground into paste and applied over the affected places to get relief from body pain.	JNPPR (Karthik et al.)	2011
270	<i>Pteris cretica</i> L.	Pteridaceae	The paste made from the leaf is tied with cloth and applied over the affected places to heal wounds.	JNPPR (Karthik et al.)	2011
271	<i>Pteris vittata</i> L.	Pteridaceae	The whole plant parts are ground into paste and applied over the affected places for wound healing. The paste is mixed with pepper	JNPPR (Karthik et al.)	2011

			and taken orally to get relief from cold, cough and fever.		
272	<i>Pterocarpus marsupium</i> Roxb.	Leguminosae	Stem bark decoction is used to treat stomach ailments	IJBLS (Natarajan et al) JNR (Senthil et al.) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2013, 2014
273	<i>Punica granatum</i> L.	Punicaceae	Flower buds mixed with salt are used to cure bronchitis, dysentery and diarrhoea. The fruits is used to cure stomach problems.	Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) IJRES (Natarajan et al)	2011, 2013
274	<i>Pyrrosia lanceolata</i> (L.) Farw.	Polypodiaceae	Leaf is made into paste with pepper and taken orally to treat sore throat and itching.	JNPPR (Karthik et al.)	2011
275	<i>Randia dumentorum</i> Lam.	Rubiaceae	Dried fruit powder is used to treat rheumatoid arthritis and inflammatory disease	AJPSR (Vaidyanathan et al)	2013
276	<i>Rauwolfia serpentine</i> L.	Apocynaceae	Root paste is used externally to cure snake bite	IJBLS (Natarajan et al) IJRAP (kuru et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2011, 2013, 2014
277	<i>Rauwolfia tetraphylla</i> L.	Apocynaceae	Leaf juice is used to treat hemorrhoids	AJPSR (Vaidyanathan et al)	2013
278	<i>Rhinacanthus communis</i> Nees.	Acanthaceae	Juice from roots, seeds and leaves is used to treat skin infections and ring worms	NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2013
279	<i>Richardia scabra</i> L.	Rubiaceae	Leaf paste along with coconut oil is applied externally to treat skin problems.	Article 029 (Palanisamy et al.)	2011
280	<i>Ricinus communis</i> L.	Euphorbiaceae	Leaf decoction mixed with salt is applied for eye infections.	Article 029 (Palanisamy et al.) JNR ( Senthil et al.) AJPSR (Vaidyanathan et al)	2011, 2013
281	<i>Rubia cordifolia</i> L.	Rubiaceae	Stem and root powder is used to treat diabetes	IJBLS (Natarajan et al) NPR (Anand et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2005, 2013, 2014
282	<i>Rumex nepalensis</i> Spr.	Polygonaceae	Leaf juice is applied externally to treat headache. Root decoction is applied topically to treat dislocated	AJPSR (Vaidyanathan et al)	2013

			bones.		
283	<i>Rungia pectinata</i> Nees.	Acanthaceae	Whole plant extract is used to treat bronchitis and asthma	AJPSR (Vaidyanathan et al)	2013
284	<i>Ruta graveolens</i> L.	Rutaceae	Paste of whole plant is applied over baby's body to reduce stomach pain.	JBR (Senthil et al.) IJBLS (Natarajan et al) JNR ( Senthil et al.) IJRAP (kuru et al) NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2012, 2013
285	<i>Albizia saman</i> (Jacq.) Merr.	Leguminosae	Bark decoction is used to treat diarrhea, cold, sore throat and headache	AJPSR (Vaidyanathan et al)	2013
286	<i>Sansevieria roxburghiana</i> Schult.f.	Liliaceae	Leaf extract is used to cure pimples and skin infections	IJRAP (kuru et al) NPR (Anand et al) AJPSR (Vaidyanathan et al)	2005, 2011, 2013
287	<i>Santaium album</i> L.	Santalaceae	Stem paste is used to treat body cooling	IJBLS (Natarajan et al) IJRAP (kuru et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2011, 2013, 2014
288	<i>Sarcostemma intermedium</i> Dcne.	Apocynaceae	Plant milk extract is used to stimulate vomiting in case of poisoning	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
289	<i>Scilla hyacinthina</i> (Roth) JF Macbr.	Liliaceae	Bulb paste is used to treat inflammatory swellings	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
290	<i>Selaginella tenera</i> Spring	Seleginellaceae	The whole plant parts are ground into paste and applied over the affected places get relief from body pain and swellings.	JNPPR (Karthik <i>et al.</i> )	2011
291	<i>Senna auriculata</i> (L.) Roxb.	Leguminosae	Seeds is used to cure diabetics	IJRAP (kuru et al)	2011
292	<i>Senna occidentalis</i> L.	Leguminosae	Root extract is used to treat stomach ailments	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
293	<i>Shorea roxburghii</i> G. Don.	Dipterocarpaceae	Root juice is used to cure diarrhea and cholera	AJPSR (Vaidyanathan et al)	2013
294	<i>Sida acuta</i> Burm.	Malvaceae	Leaf paste is used to treat cut wounds	JNR ( Senthil et al.) IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
295	<i>Sida cardifolia</i> L.	Malvaceae	Root and bark decoction is used to treat fever and facial paralysis	IJBLS (Natarajan et al) JNR ( Senthil et al.) NPR (Anand et al) APSR (kadirvelmurugan et al)	2005, 2013, 2014



				AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	
296	<i>Solanum erianthum</i> D.Don	Solanaceae	Unripe fruits is used to treat diarrhea	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
297	<i>Solanum nigrum</i> L.	Solanaceae	Leaf juice with groundnut oil is taken as food to treat mouth ulcers. Juice extracted from leaves and flowers mixed with salt and black pepper to cure skin diseases, piles and ulcer.	IJTK (Francies et al.) JNR ( Senthil et al.) NPR (Anand et al) AJPSR (Vaidyanathan et al) JBR (Senthil et al.)	2005, 2011, 2012, 2013
298	<i>Solanum torvum</i> Sw.	Solanaceae	Boiled fruits are taken as food for killing worms in stomach	IJTK (Francies et al.) NPR (Anand et al)	2005, 2011
299	<i>Solanum trilobatum</i> L.	Solanaceae	Leaf juice is taken to treat asthma, cold, cough and lung ailments.	IJTK (Francies et al.) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al) Article 029 (Palanisamy et al.) IJBLS (Natarajan et al) IJRAP (kuru et al)	2011, 2013, 2014
300	<i>Sonchus oleraces</i> L.	Compositae	Leaf paste is used to cure skin ailments	IJBLS (Natarajan et al) APSR (kadirvelmurugan et al) IJRES (Natarajan et al)	2013, 2014
301	<i>Spermacoce hispida</i> L.	Rubiaceae	Whole plant extract is used to cure diarrhea	JNR ( Senthil et al.) AJPSR (Vaidyanathan et al)	2013
302	<i>Stachytarpheta urticifolia</i> (Salisb.) Sims	Verbenaceae	Whole plant juice is used to treat open sores and cataract	AJPSR (Vaidyanathan et al)	2013
303	<i>Sterculia foetida</i> L.	Malvaceae	Bark and seed decoction is used to treat skin infections	AJPSR (Vaidyanathan et al)	2013
304	<i>Sterculia urens</i> Roxb.	Malvaceae	Leaf juice is used to cure leukemia and also applied topically to treat wound fractures and cracked skin.	IJRAP (kuru et al) AJPSR (Vaidyanathan et al)	2011, 2013
305	<i>Strychnos nux-vomica</i> L.	Loganiaceae	Fruit decoction is used to treat cut-wounds	IJBLS (Natarajan et al) IJRAP (kuru et al) APSR (kadirvelmurugan et al) AJPSR (Vaidyanathan et al) IJRES (Natarajan et al)	2011, 2013, 2014
306	<i>Strychnos potatorum</i> L.	Loganiaceae	Seed is used to treat poisonous bites	IJRAP (kuru et al)	2011
307	<i>Synedrella nodiflora</i> (L.)	Compositae	Leaves decoction is given orally to	JBR (Senthil et al.) JNR ( Senthil	2012,

	Gaertn.		cure diarrhoea.	<i>et al.</i> )	2013
308	<i>Syzygium cumini</i> (L.) Skeels	Myrtaceae	Bark ground with ghee is used to get relief from chest pain and painful menstruation. Seed powder is used to treat diabetic	JBR (Senthil <i>et al.</i> ) JNR ( Senthil <i>et al.</i> ) IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2012, 2013
309	<i>Tamarindus indica</i> L.	Leguminosae		AJPSR (Vaidyananthan <i>et al</i> )	2013
310	<i>Tectaria gemmifera</i> (Fée) Alston	Tectariaceae	The root is mixed with pepper and cumin seeds and boiled with water. The decoction thus obtained is taken orally twice a day to cure asthma; the juice made from the root is applied over the wound to heal soon; the juice made from the leaves is taken orally to treat stomachache.	JNPPR (Karthik <i>et al.</i> )	2011
311	<i>Tephrosia purpurea</i> (L.) Pers.	Leguminosae	Root paste is used to cure stomachache	APSR (kadirvelmurugan <i>et al</i> ) IJRES (Natarajan <i>et al</i> )	2013, 2014
312	<i>Terminalia arjuna</i> Roxb. Ex. De Wight & Arn	Combretaceae	Bark juice is taken for indigestion. Stem bark decoction to reduce blood pressure.	IJTK (Francies <i>et al.</i> ) AJPSR (Vaidyananthan <i>et al</i> ) Article 029 (Palanisamy <i>et al.</i> )	2011, 2013
313	<i>Terminalia bellirica</i> Roxb.	Combretaceae	Seed powder is used to treat dysentery	IJBLS (Natarajan <i>et al</i> ) IJRAP (kuru <i>et al</i> ) NPR (Anand <i>et al</i> ) APSR (kadirvelmurugan <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> ) IJRES (Natarajan <i>et al</i> )	2005, 2011, 2013, 2014
314	<i>Terminalia chebula</i> Retz.	Combretaceae	Seed decoction is used to cure digestive disorder	IJBLS (Natarajan <i>et al</i> ) IJRAP (kuru <i>et al</i> ) APSR (kadirvelmurugan <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> ) IJRES (Natarajan <i>et al</i> )	2011, 2013, 2014
315	<i>Tiliacora acuminata</i> Miers.	Menispermaceae	Leaf paste is applied externally on the snake bitten area and root decoction is used to relieve pain of the bite	AJPSR (Vaidyananthan <i>et al</i> )	2013
316	<i>Tinospora cordifolia</i> Miers.	Menispermaceae	Plant juice is used to treat gas problems	IJRAP (kuru <i>et al</i> ) AJPSR (Vaidyananthan <i>et al</i> )	2011, 2013
317	<i>Tinospora sinensis</i> (Lour.) Merr	Menispermaceae	Stem decoction is used to treat rheumatoid arthritis	AJPSR (Vaidyananthan <i>et al</i> )	2013
318	<i>Toddalia asiatica</i> (L.) Lam.	Rutaceae	Fruits is used to cure digestive	IJRAP (kuru <i>et al</i> ) AJPSR	2011,

			problems, antiseptic and diuretic	(Vaidyanathan et al)	2013
319	<i>Tribulus terrestris</i> L.	Zygophyllaceae	Root decoction is given to cure urinary problems. Whole plant powder used to cure fever, headache and heel cracks.	IJTK (Francies <i>et al.</i> ) APSR (kadirvelmurugan <i>et al.</i> ) IJRES (Natarajan <i>et al.</i> ) Article 029 (Palanisamy <i>et al.</i> ) IJBLS (Natarajan <i>et al.</i> )	2011, 2013, 2014
320	<i>Trichosanthes cucumerina</i> L.	Cucurbitaceae	Seed juice is used to treat tumors and fever	AJPSR (Vaidyanathan et al)	2013
321	<i>Trichosanthes palmate</i> Roxb.	Cucurbitaceae	Leaf extract is used to treat asthma	AJPSR (Vaidyanathan et al)	2013
322	<i>Tridax procumbens</i> L.	Compositae	Young leaf paste is used to treat wounds	IJTK (Francies <i>et al.</i> ) APSR (kadirvelmurugan <i>et al.</i> ) IJRES (Natarajan <i>et al.</i> ) Article 029 (Palanisamy <i>et al.</i> ) IJBLS (Natarajan <i>et al.</i> ) JNR (Senthil <i>et al.</i> ) IJRAP (kuru <i>et al.</i> )	2011, 2013, 2014
323	<i>Triumfetta rhomboidea</i> Jacq.	Malvaceae	Leaves decoction is used to treat diarrhea in children	AJPSR (Vaidyanathan et al)	2013
324	<i>Tylophora indica</i> (Burm.f.) Merr.	Apocynaceae	Leaf paste is applied externally at the snake bite and leaf juice mixed with hot water is used to treat snake bite	AJPSR (Vaidyanathan et al)	2013
325	<i>Ventilago madraspatana</i> Gaertn.	Rhamnaceae	Root bark is used to treat fever and stomach disorders	IJRAP (kuru <i>et al.</i> ) AJPSR (Vaidyanathan et al)	2011, 2013
326	<i>Cyanthillium cinereum</i> (L.) H.Rob.	Compositae	Whole plant juice is used to treat scorpion bite	AJPSR (Vaidyanathan et al)	2013
327	<i>Vetiveria zizanoides</i> Nash.	Poaceae	Root extraction is used externally for skin infections	AJPSR (Vaidyanathan et al.)	2013
328	<i>Vinca rosea</i> L.	Apocynaceae	Leaf extract is used to cure cancer	AJPSR (Vaidyanathan et al)	2013
329	<i>Viscum heyneanum</i> DC.	Viscaceae	Plant juice is used to relieve ear pain.	JFMA, Dwarakan et al	1994
330	<i>Vitex altissima</i> L. f.	Lamiaceae	Leaf extract is used to treat fever	AJPSR (Vaidyanathan et al)	2013
331	<i>Vitex negundo</i> L.	Lamiaceae	Leaves are crushed and boiled in water and the vapour from boiled water is inhaled to treat headache and fever. Leaf juice and flowers powered and mixed with milk are taken orally to cure cholera and liver ailments.	IJTK (Francies <i>et al.</i> ) IJRAP (kuru <i>et al.</i> ) NPR (Anand <i>et al.</i> ) AJPSR (Vaidyanathan <i>et al.</i> ) Article 029 (Palanisamy <i>et al.</i> )	2005, 2011, 2013

332	<i>Vetiveria zizaniodes</i> (L.) Nash.	Poaceae	Root extract is used to treat diaphoresis	NPR (Anand <i>et al</i> ) (Vaidyanathan <i>et al</i> ) AJPSR	2005, 2013
333	<i>Vittaria elongata</i> Sw.	Pteridaceae	The leaf is ground into a paste and applied over the affected places to get relief from knee pain and therapeutic pain.	JNPPR (Karthik <i>et al.</i> )	2011
334	<i>Waltheria indica</i> L.	Malvaceae	Boiled plant extract is used to treat cough	IJRAP (kuru <i>et al</i> ) (Vaidyanathan <i>et al</i> ) AJPSR	2011, 2013
335	<i>Wedelia calandulaceae</i> Less.	Compositae	Leaf juice is used to treat leprosy, liver disorders and jaundice	NPR (Anand <i>et al</i> )	2005
336	<i>Sphagneticola calendulacea</i> (L.) Pruski	Compositae	Juice extracted from leaves is taken orally to treat jaundice	Article 029 (Palanisamy <i>et al.</i> )	2011
337	<i>Wedelia urticaefolia</i> (Blume) DC. ex Wight	Compositae	Plant juice with keelanelli is used to treat jaundice	IJRAP (kuru <i>et al</i> ) (Vaidyanathan <i>et al</i> ) AJPSR	2011, 2013
338	<i>Withania somnifera</i> Dun.	Solanaceae	The root powder mixed with black pepper used to cure rheumatic swellings.	Article 029 (Palanisamy <i>et al.</i> ) NPR (Anand <i>et al</i> )	2005, 2011
339	<i>Wrightia tinctoria</i> R. Br.	Apocynaceae	Leaf extract is used to treat toothache.	AJPSR (Vaidyanathan <i>et al</i> )	2013
340	<i>Xanthium strumarium</i> L.	Compositae	The whole plant extract is used externally to treat rheumatoid joint pains and itching.	AJPSR (Vaidyanathan <i>et al</i> )	2013
341	<i>Zanthoxylum tetraspermum</i> Wight & Arn.	Rutaceae	Corky ash coloured bark is used to treat cold cough.	JFMA, Dwarakan <i>et al</i>	1994
342	<i>Zingiber officinale</i> Roscoe	Zingiberaceae	The rhizome juice is given orally for the treatment of fever, headache and body pain.	Article 029 (Palanisamy <i>et al.</i> ) AJPSR (Vaidyanathan <i>et al</i> )	2011, 2013